



# MATERIAL SAFETY DATA SHEET

---

---

## Section 1: Product & Company Identification

---

---

**Product Name:** Salt Terminator® Engine Flush, Cleaner, and Corrosion Inhibitor

**Product Number (s):** SX32, SX32M, SX128, 76128, 76320

**Product Use:** Engine flush and corrosion inhibitor

### **Manufacturer / Supplier Contact Information:**

In United States:

CRC Industries, Inc.

885 Louis Drive

Warminster, PA 18974

[www.crcindustries.com](http://www.crcindustries.com)

1-215-674-4300 (General)

(800) 521-3168 (Technical)

(800) 272-4620 (Customer Service)

In Canada:

CRC Canada Co.

2-1246 Lorimar Drive

Mississauga, Ontario L5S 1R2

[www.crc-canada.ca](http://www.crc-canada.ca)

1-905-670-2291

In Mexico:

CRC Industries Mexico

Av. Benito Juárez 4055 G

Colonia Orquídea

San Luís Potosí, SLP CP 78394

[www.crc-mexico.com](http://www.crc-mexico.com)

52-444-824-1666

24-Hr Emergency – CHEMTREC: (800) 424-9300 or (703) 527-3887

---

---

## Section 2: Hazards Identification

---

---

### Emergency Overview

Appearance & Odor: Blue liquid with no odor

### Potential Health Effects:

**ACUTE EFFECTS:**

**EYE:** Contact may cause mild irritation.

**SKIN:** Irritation may occur from prolonged skin contact.

**INHALATION:** May cause irritation to the respiratory tract.

**INGESTION:** Low level of toxicity by ingestion. Diarrhea may occur by ingestion of large quantities.

**CHRONIC EFFECTS:** None known

**TARGET ORGANS:** None known

**Medical Conditions Aggravated by Exposure:** None known

See Section 11 for toxicology and carcinogenicity information on product ingredients.

**Product Name: Salt Terminator® Engine Flush, Cleaner, and Corrosion Inhibitor**  
**Product Number (s): SX32, SX32M, SX128, 76128, 76320**

---

---

### **Section 3: Composition/Information on Ingredients**

---

---

<b>COMPONENT</b>	<b>CAS NUMBER</b>	<b>% by Wt.</b>
Water	7732-18-5	75 - 85
Sodium nitrite	7632-00-0	10 - 20
Non-hazardous surfactant blend	1300-72-7 / 68603-42-9	5 - 10

---

---

### **Section 4: First Aid Measures**

---

---

**Eye Contact:** Immediately flush with plenty of water for 15 minutes. Call a physician if irritation persists.

**Skin Contact:** Remove contaminated clothing and wash affected area with soap and water. Call a physician if irritation persists. Wash contaminated clothing prior to re-use.

**Inhalation:** Remove person to fresh air. Keep person calm. If not breathing, give artificial respiration. If breathing is difficult give oxygen. Call a physician.

**Ingestion:** Do not induce vomiting. Get medical attention.

*Note to Physicians:* Treat symptomatically.

---

---

### **Section 5: Fire-Fighting Measures**

---

---

**Flammable Properties:** This product not flammable.

Flash Point:	None	Upper Explosive Limit:	None
Autoignition Temperature:	ND	Lower Explosive Limit:	None

#### **Fire and Explosion Data:**

**Suitable Extinguishing Media:** Dry chemical foam

**Products of Combustion:** Unknown

**Explosion Hazards:** Containers, when exposed to heat from fire, may build pressure and rupture.

**Protection of Fire-Fighters:** Firefighters should wear self-contained, NIOSH-approved breathing apparatus for protection against suffocation and possible toxic decomposition products. Proper eye and skin protection should be provided. Use water spray to keep fire-exposed containers cool and to knock down vapors which may result from product decomposition.

---

---

### **Section 6: Accidental Release Measures**

---

---

**Personal Precautions:** Use personal protection recommended in Section 8.

**Environmental Precautions:** Take precautions to prevent contamination of ground and surface waters. Do not flush into sewers or storm drains.

**Methods for Containment & Clean-up:** Caution – spilled material is slippery. Dike area to contain spill. Ventilate the area with fresh air. If in confined space or limited air circulation area, clean-up workers should wear appropriate respiratory protection. Recover or absorb spilled material using an absorbent designed for chemical spills. Place used absorbents into proper waste containers. Wash contaminated area with soap

**Product Name: Salt Terminator® Engine Flush, Cleaner, and Corrosion Inhibitor**  
**Product Number (s): SX32, SX32M, SX128, 76128, 76320**

and water. Repeat washing until area is no longer slippery. Allow to dry.

---



---

## Section 7: Handling and Storage

---



---

**Handling Procedures:** Close containers when not in use. Avoid contact with skin and eyes. For product use instructions, please see the product label.

**Storage Procedures:** Store in a cool dry area out of direct sunlight. Containers should be tightly closed while in storage.

**Aerosol Storage Level:** NA

---



---

## Section 8: Exposure Controls/Personal Protection

---



---

### Exposure Guidelines:

COMPONENT	OSHA		ACGIH		OTHER		UNIT
	TWA	STEL	TWA	STEL	TWA	SOURCE	
Water	NE	NE	NE	NE	NE		
Sodium nitrite	NE	NE	NE	NE	NE		
Non-hazardous surfactant blend	NE	NE	NE	NE	NE		
N.E. – Not Established      (c) – ceiling      (s) – skin      (v) – vacated							

### Controls and Protection:

**Engineering Controls:** Area should have ventilation to provide fresh air. Local exhaust ventilation is generally preferred because it can control the emissions of the contaminant at the source, preventing dispersion into the general work area. If working in a confined space, follow applicable OSHA regulations.

**Respiratory Protection:** None required for normal work where adequate ventilation is provided. Use a NIOSH-approved self-contained breathing apparatus in confined spaces and for emergencies.

**Eye/face Protection:** For normal conditions, wear safety glasses. Where there is reasonable probability of liquid contact, wear splash-proof goggles.

**Skin Protection:** Use protective gloves such as nitrile or neoprene. Also, use full protective clothing if there is prolonged or repeated contact of liquid with skin.

---



---

## Section 9: Physical and Chemical Properties

---



---

Physical State: liquid  
 Color: blue  
 Odor: none  
 Odor Threshold: ND  
 Specific Gravity: 1.10  
 Initial Boiling Point: 212°F  
 Freezing Point: 32°F  
 Vapor Pressure: ND  
 Vapor Density: ND (air = 1)  
 Evaporation Rate: slow  
 Solubility: soluble in water  
 Coefficient of water/oil distribution: ND  
 pH: 9.33

**Product Name: Salt Terminator® Engine Flush, Cleaner, and Corrosion Inhibitor**  
**Product Number (s): SX32, SX32M, SX128, 76128, 76320**

Volatile Organic Compounds: wt %: 0.28 g/L: 3.1 lbs./gal: 0.03

---

---

## Section 10: Stability and Reactivity

---

---

Stability: Stable

Conditions to Avoid: Avoid freezing or extreme temperatures.

Incompatible Materials: Strong oxidizing agents, strong acids

Hazardous Decomposition Products: Unknown

Possibility of Hazardous Reactions: No

---

---

## Section 11: Toxicological Information

---

---

Long-term toxicological studies have not been conducted for this product. The following information is available for components of this product.

### Acute Toxicity:

Component	Oral LD50 (rat)	Dermal LD50 (rabbit)	Inhalation LC50 (rat)
Water	> 90 mL/kg	No data	No data
Sodium nitrite	157.9 mg/kg	No data	5.5 mg/m <sup>3</sup> /4H
Non-hazardous surfactant blend	No data	No data	No data

### Chronic Toxicity:

Component	OSHA Carcinogen	IARC Carcinogen	NTP Carcinogen	Irritant	Sensitizer
Water	No	No	No	No	No
Sodium nitrite	No	No	No	E (moderate) / S (moderate)	Unknown
Non-hazardous surfactant blend	No	No	No	Unknown	Unknown

E – Eye      S – Skin      R – Respiratory

Reproductive Toxicity: No information available

Teratogenicity: No information available

Mutagenicity: No information available

Synergistic Effects: No information available

---

---

## Section 12: Ecological Information

---

---

Ecological studies have not been conducted for this product. The following information is available for components of this product.

Ecotoxicity: No information available

Persistence / Degradability: All ingredients are biodegradable.

Bioaccumulation / Accumulation: No information available

Mobility in Environment: No information available

**Product Name: Salt Terminator® Engine Flush, Cleaner, and Corrosion Inhibitor**  
**Product Number (s): SX32, SX32M, SX128, 76128, 76320**

---

---

## **Section 13: Disposal Considerations**

---

---

**Waste Classification:** This product is not a RCRA hazardous waste. (See 40 CFR Part 261.20 – 261.33)  
Empty containers may be recycled.

All disposal activities must comply with federal, state, provincial and local regulations. Local regulations may be more stringent than state, provincial or national requirements.

---

---

## **Section 14: Transport Information**

---

---

US DOT (ground): Not Regulated

ICAO/IATA (air): Not Regulated

IMO/IMDG (water): Not Regulated

Special Provisions: None

---

---

## **Section 15: Regulatory Information**

---

---

### **U.S. Federal Regulations:**

#### **Toxic Substances Control Act (TSCA):**

All ingredients are either listed on the TSCA inventory or are exempt.

#### **Comprehensive Environmental Response, Compensation and Liability Act (CERCLA):**

Reportable Quantities (RQ's) exist for the following ingredients: Sodium nitrite (100 lbs)

**Spills or releases resulting in the loss of any ingredient at or above its RQ require immediate notification to the National Response Center (800-424-8802) and to your Local Emergency Planning Committee.**

#### **Superfund Amendments Reauthorization Act (SARA) Title III:**

Section 302 Extremely Hazardous Substances (EHS): None

Section 311/312 Hazard Categories:	Fire Hazard	No
	Reactive Hazard	No
	Release of Pressure	No
	Acute Health Hazard	No
	Chronic Health Hazard	No

Section 313 Toxic Chemicals: This product contains the following substances subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372:  
Sodium nitrite (13%)

#### **Clean Air Act:**

Section 112 Hazardous Air Pollutants (HAPs): None

#### **Occupational Safety and Health Administration (OSHA):**

This product is not considered to be hazardous under the Hazard Communication Standard.

**Product Name: Salt Terminator® Engine Flush, Cleaner, and Corrosion Inhibitor**  
**Product Number (s): SX32, SX32M, SX128, 76128, 76320**

---

**U.S. State Regulations:**

**California Safe Drinking Water and Toxic Enforcement Act (Prop 65):**

This product may contain the following chemicals known to the state of California to cause cancer, birth defects or other reproductive harm: None

**Consumer Products VOC Regulations:** This product is not regulated.

**State Right to Know:**

New Jersey: 7632-00-0  
Pennsylvania: 7632-00-0  
Massachusetts: 7632-00-0  
Rhode Island : 7632-00-0

**Canadian Regulations:**

**Controlled Products Regulations:**

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

WHMIS Hazard Class: None

**Canadian DSL Inventory:** All ingredients are either listed on the DSL Inventory or are exempt.

**European Union Regulations:**

**RoHS Compliance:** This product is compliant with Directive 2002/95/EC of the European Parliament and of the Council of 27 January 2003. This product does not contain any of the restricted substances as listed in Article 4(1) of the RoHS Directive.

**Additional Regulatory Information:** None

---


---

**Section 16: Other Information**

---

---

HMIS® (II)	
Health:	1
Flammability:	0
Reactivity:	1
PPE:	A



Ratings range from 0 (no hazard) to 4 (severe hazard)

Prepared By: Michelle Rudnick  
CRC #: SX32  
Revision Date: 11/14/2011

Changes since last revision: Part Number Added

The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. This information is accurate to the best of CRC Industries' knowledge or obtained from sources believed by CRC to be accurate. Before using any product, read all warnings and

**Product Name: Salt Terminator® Engine Flush, Cleaner, and Corrosion Inhibitor**

**Product Number (s): SX32, SX32M, SX128, 76128, 76320**

directions on the label. For further clarification of any information contained on this MSDS consult your supervisor, a health & safety professional, or CRC Industries.

ACGIH:	American Conference of Governmental Industrial Hygienists	NA:	Not Applicable
CAS:	Chemical Abstract Service	ND:	Not Determined
CFR:	Code of Federal Regulations	NIOSH:	National Institute of Occupational Safety & Health
DOT:	Department of Transportation	NFPA:	National Fire Protection Association
DSL:	Domestic Substance List	NTP:	National Toxicology Program
g/L:	grams per Liter	OSHA:	Occupational Safety and Health Administration
HMIS:	Hazardous Materials Identification System	PMCC:	Pensky-Martens Closed Cup
IARC:	International Agency for Research on Cancer	PPE:	Personal Protection Equipment
IATA:	International Air Transport Association	ppm:	Parts per Million
ICAO:	International Civil Aviation Organization	RoHS:	Restriction of Hazardous Substances
IMDG:	International Maritime Dangerous Goods	STEL:	Short Term Exposure Limit
IMO:	International Maritime Organization	TCC:	Tag Closed Cup
lbs./gal:	pounds per gallon	TWA:	Time Weighted Average
LC:	Lethal Concentration	WHMIS:	Workplace Hazardous Materials Information System
LD:	Lethal Dose		